

Data sheet

**Professional 2-Side Trimmer & SquareSpine  
BLT7202 & SFM7704 'Senior'**



**Finishing solutions that add value to your business**

## KEY BENEFITS

- Professional 'top and bottom' trimming; precisely trims the booklet from both sides at once
- 2 x 3 knives for a perfect spine trimming result
- Ensure that no paper snippet is left on the booklet spine
- Produces professional-looking and high quality booklets
- Edge/corner stapling still possible using Canon finisher
- Productivity: up to 50K booklets per month
- Unique system for Canon printers only

For booklets of 20 sheets or more always use 120 g/m<sup>2</sup> (or higher) cover sheets for optimum runnability.

The **BLT7202 2-Side Trimmer** is a cost effective full-bleed solution for Canon production printers. In combination with the optional SFM7704 SquareFold Module it is possible to produce professional full-bleed, flat booklets. The BLT7202 works online with a Canon production printer to create a complete printing and booklet making system that is ideal for a wide range of on-demand applications.

The BLT7202 & SFM7704 System can be easily set up from the digital display. Full colour brochures, manuals, reports and policy documents, for example, can be quickly printed and finished in one streamlined operation without the need for additional handling or finishing steps.


**Obtain the look and feel of first class booklets! Squarefold booklet gives a perfectly flat finish with a square spine.**




By printing on the spine it is possible to reproduce a professional magazine or book-like finish, which considerably enhances the booklet appearance.



**Specially designed for high reliability and long production runs**



## DIMENSIONS/FLOOR PLAN



## PHYSICAL CHARACTERISTICS

	Length (mm)	Width (mm)	Height (mm)	Weight (kg)
<b>BLT7202</b>	<b>600</b>	<b>700</b>	<b>1300</b>	<b>220</b>
<b>Packed</b>	<b>1200</b>	<b>800</b>	<b>1570</b>	<b>285</b>
<b>Belt Stacker</b>	<b>350</b>	<b>450</b>	<b>n.a.</b>	<b>7</b>

*Belt Stacker included in BLT7202 packaging*

<b>BST6900 (75 cm)</b>	<b>750</b>	<b>450</b>	<b>1000</b>	<b>20</b>
<b>Packed</b>	<b>1200</b>	<b>800</b>	<b>1100</b>	<b>85</b>
<b>BST6800 (150 cm)</b>	<b>1500</b>	<b>450</b>	<b>1000</b>	<b>25</b>
<b>Packed</b>	<b>1200</b>	<b>800</b>	<b>1570</b>	<b>95</b>
<b>SFM7704</b>	<b>360</b>	<b>600</b>	<b>1100</b>	<b>65</b>
<b>Packed</b>	<b>1200</b>	<b>800</b>	<b>700</b>	<b>100</b>

## TECHNICAL SPECIFICATIONS

<b>X (booklet width)</b>	<b>50 mm x 245 mm</b>
<b>Z (booklet height)</b>	<b>204 mm x 340 mm (must be trimmed to 320 mm)</b>
<b>Maximum paper weight</b>	<b>300 g/m<sup>2</sup></b>
<b>Maximum booklet thickness</b>	<b>25 sheets (100 pages) using 80 g/m<sup>2</sup> / up to 6mm package thickness</b>
<b>Trimming Bypass</b>	<b>Trimming 2mm to 35mm from top and bottom side of the booklet Min. 150 mm booklet height, Max. 320 mm booklet height</b>
<b>Conveyor Stacker</b>	<b>35 cm Conveyor Stacker (always delivered)</b>
<b>Optional Conveyor Stacker:</b>	<b>BST6900 (75 cm) or BST6800 (150 cm) Belt Stacker</b>
<b>Optional: SquareFolding</b>	<b>5 modes to ensure a professional square-spine finish, as well as a bypass</b>
<b>Productivity</b>	<b>up to 1700 booklets per hour (printer depended)</b>
<b>Power</b>	<b>510 VA Max.</b>

### GENERAL

System works from right to left  
Paper input height: 1020 mm

### INPUT

On-line connection behind Canon F1 (or old D1)  
Booklet Trimmer

### OUTPUT

SFM7704 SquareFold Module  
35 cm Belt Stacker (standard)  
75 cm Belt Stacker BST6900 (optional)  
150 cm Belt Stacker BST6800 (optional)

The BLT7202 & SFM7704 System requires 400 mm of additional floor space at the front and rear side of the machine for installation, operation and maintenance.

SDD B.V. Print Finishing Solutions.

© April 2020 SDD B.V. Illustrations and specifications do not necessarily apply to the standard version of machines in all local markets. Technical specifications subject to change without prior notice. All products mentioned in this brochure are claimed as trademarks or registered trademarks of their respective companies.

DBCE-0314-0031-V011

**SDDB.V.**  
Brinkerweg 5  
8166 GD Emst  
The Netherlands

Tel.: +31 (0)578 662 662

**WEBSITE:** [WWW.SDDBV.COM](http://WWW.SDDBV.COM)  
**SALES:** [INFO@SDDBV.COM](mailto:INFO@SDDBV.COM)  
**SERVICE:** [SERVICE@SDDBV.COM](mailto:SERVICE@SDDBV.COM)