

SDD Envelop Conveyor Stacker for RISO ComColor Printers



www.sddbv.com
info@sddbv.com

www.risofrance.fr
contact@risofrance.fr

FOR MORE INFORMATION, PLEASE
CONTACT LOCAL
RISO SALES TEAM



We build your
Print Finishing Solutions



Key Benefits

- Modular system for customised solutions
- Simple connection/installation behind the printer
- Adjustable speed by the speed adjustment regulator
- Purge knob to feed continuous or to stack the envelopes at the end of stacker
- Diverse configurations and options
- Stacking of envelopes, sheets, booklets or even banners
- Stand alone running possible



Module Configurations

- CBS6073 Envelop Conveyor Stacker 70cm
- CBS6163 Envelop Conveyor Stacker 160cm

Possible configurations:

1. CBS6073, 70 cm long



2. 2x CBS6073+, 105 cm long



3. CBS6163, 160 cm long



3. CBS6073++, 205 cm long



5. CBS6163+, 295 cm long





General Information

System works from left to right

Input height behind the RISO printer approx.: ~550mm

Input

GL9730 and GL7430

GD9630 and GD7330

FT5430 and FT5230

RISO Duplicators SF 5350

Printers have to be equipped with the PAPER EJECTION ATTACHMENT:

PAPER EJECTION ATTACHMENT G10 Finisher S-7356

PAPER EJECTION ATTACHMENT F10 Finisher S-7395

PURGE Button, for Purge or

Continious Feed



Envelop Conveyor behind

RISO Duplicator





Technical Specifications

Functions	Envelop, Sheet, Booklet and Banner stacking
Maximum paper thickness	300 g/m ²
Minimum paper thickness	60 g/m ²
Productivity	Printer speed depended
Maximum Ergonomic height	~600mm
Power	<0,4 KW (Max.)
Noise level	≤70dB



SDD B.V.
Brinkerweg 5
8166 GD Emst
The Netherlands
Tel.: +31 (0)578 662 662

www.sddb.v.com
info@sddb.v.com
service@sddb.v.com

FOR MORE INFORMATION, PLEASE CONTACT LOCAL
RISO SALES TEAM

RISO France
49 rue de la Cité
69003 Lyon
France
Tel : +33 472 11 38 88
www.risofrance.fr

RISO BENELUX
Oosthoutlaan 4
2171 TZ Sassenheim
The Netherlands
Tel: +31 252 240 730
www.riso.nl

SDD B.V. Print Finishing Solutions.
©June 2024 SDD B.V. Illustrations and
specifications do not necessarily apply
to the standard version of machines in
all local markets. Technical specifications
subject to change without prior notice.
All products mentioned in this brochure
are claimed as trademarks or registered
trademarks of their respective companies.

We build your
Print Finishing Solutions